

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
	B.D.W.,Co.						
SBD 0525	*450T; 650M	8" x 1" x 12"	40"	16	2	3/8" x 1 1/4" 3/8" x 1 1/2"	64 8
SBD 0785	*800MI; 800MX	9" x 1" x 12"	46"	20	2	3/8" x 1 1/4" 3/8" x 1 1/2"	84 4
SBD 0970	†1350-M	10" x 1 1/8" x 12"	50"	22	2	3/8" x 1 1/2" 3/8" x 2"	104 16
SBD 0985	†1800-M	10" x 1 1/4" x 12"	54"	26	0	3/8" x 1 1/2" 3/8" x 2"	114 16
	BETHLEHEM						
SBE 0360	S-36; S-40; S-45; S-45E	7" x 1" x 11 7/8"	36"	18	0	5/16" x 1 1/4"	90
SBE 0362	S-45A; S-50	7" x 1" x 12"	42"	20	0	5/16" x 1 1/4"	100
SBE 0490	S-55; S-60; M-58	8" x 1 1/8" x 13 21/32"	46"	20	0	5/16" x 1 1/2"	120
SBE 0500	C-50	8" x 1 1/8" x 12"	42"	20	0	3/8" x 1 1/2"	120
SBE 0510	M-810	8 1/2" x 1 1/8" x 13 3/4"	N/A	22	0	3/8" x 1 1/2"	132
SBE 0972	MC-350	10" x 1 1/8" x 17 5/16"	N/A	12	0	3/8" x 1 1/2"	48
SBE 0970		10" x 1 1/8" x 12"	42"	18	0	3/8" x 1 1/2"	90
SBE 0975	†MC-450	10" x 1 1/8" x 17 1/2"	42"	2	0	3/8" x 2"	18
SBE 1125		12" x 1 1/8" x 12"		20	0		
SBE 1130	†MC-650; AC-700; AC-701; AC-702; 1013	12" x 1 1/8" x 10 5/8"	N/A	2	0	3/8" x 1 1/2"	122
SBE 1140		12" x 1 1/8" x 10 1/8"		2	0		
SBE 1125		12" x 1 1/8" x 12"		22	0		
SBE 1130	†MC-950; MC-1500	12" x 1 1/8" x 10 5/8"	N/A	2	0	3/8" x 1 1/2"	116
SBE 1150		12" x 1 1/8" x 6 1/4"		2	0	3/8" x 2 1/2"	16
SBE 1155	B-3661; C.E.3000	12" x 1 1/4" x 12"	N/A	30	0	3/8" x 1 1/2"	180
SBE 0360	Sand Reel for S-45E; C-50; M-58 S-55; S-60; M-810; 1013; B-3661	7" x 1" x 11 7/8"	N/A	16	0	5/16" x 1 1/4"	80
	BREWSTER (Skytop Brewster)						
SBR 0255	*N-2; N-3; 70-B; F-100, Lower Drum; Upper D. N-75	6" x 3/4" x 12"	N/A	18	0	3/8" x 1 1/4"	72
SBR 0520	N4-16	8" x 3/4" x 12"	32"	14	2	3/8" x 1 1/4"	64
SBR 0520	*N-4; N-35; N-4-W	8" x 3/4" x 12"	38"	16	2	3/8" x 1 1/4"	72
SBR 0525	*N-55; N-45; N-4A; D-4	8" x 1" x 12"	38"	16	2	3/8" x 1 1/4" 3/8" x 1 1/2"	64 8
SBR 0525	*N-5	8" x 1" x 12"	N/A	22	0	3/8" x 1 1/4"	88
SBR 0785	*N-7; N-75; N-75-A; HE-75	9" x 1" x 12"	46"	20	2	3/8" x 1 1/4" 3/8" x 1 1/2"	84 4
SBR 2247	C-7	8" x 1 1/8" x 12"	N/A	20	0	3/8" x 1 1/2"	80
SBR 0970	†N-10; N-85	10" x 1 1/8" x 12"	46"	20	2	3/8" x 1 1/2" 3/8" x 2"	94 16
SBR 0970	†N-95; N-95-A; SB-1500; SB-1500E	10" x 1 1/8" x 12"	50"	22	2	3/8" x 1 1/2" 3/8" x 2"	104 16
SBR 0985	†N-12; NE-12; N-12A	10" x 1 1/4" x 12"	54"	24	2	3/8" x 1 1/2" 3/8" x 2"	114 16
SBR 1160	†N-20; N-20A	12" x 1 1/4" x 12"	N/A	28	0	3/8" x 1 1/2" 3/8" x 2"	124 16
SBR 0255	Sand Reels for D-70; N-3; N-4; N-7; 70-B	6" x 3/4" x 12"	32"	14	0	3/8" x 1 1/4"	56
	BUCYRUS ERIE						
SBU 0260	24L Bull Reel	6" x 1/2" x 11 1/16"	N/A	7	0	3/16" x 1"	42

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
BUCYRUS ERIE							
SBU 0185	28L Sand Reel	3" x 1/2" x 12"	N/A	12	0	3/16" x 1"	72
SBU 0220	28L Casing Reel	5" x 1/2" x 11"	N/A	8	0	3/16" x 1"	48
SBU 0240	28L Bull Reel	5" x 3/4" x 11 1/2"	N/A	14	0	3/16" x 1"	84
SBU 0195	36L Sand Reel (old style)	4" x 5/8" x 11 1/2"	N/A	16	0	3/16" x 1"	96
SBU 0260	36L Casing Reel (old style)	6" x 1/2" x 11 1/16"	N/A	7	0	3/16" x 1"	42
SBU 0265	36L Bull Reel (old style)	6" x 3/4" x 11 1/2"	N/A	18	0	3/16" x 1"	108
SBU 0225	36L Sand Reel (new style)	5" x 5/8" x 12"	N/A	16	0	3/16" x 1"	96
SBU 0270	36L Casing Reel (new style)	6" x 1/2" x 11 3/4"	N/A	8	0	3/16" x 1"	48
SBU 0354	36L Bull Reel (new style)	7" x 3/4" x 12"	N/A	18	0	3/16" x 1"	108
SBU 0275	48L Sand Reel	6" x 5/8" x 10"	N/A	16	0	3/16" x 1"	96
SBU 0230	48L Casing Reel	5" x 5/8" x 11 3/4"	N/A	16	0	3/16" x 1"	96
SBU 0530	48L Bull Reel	8" x 1" x 12 11/16"	N/A	18	0	3/16" x 1"	144
SBU 0190	60L Sand Reel	3" x 1/2" x 12"	N/A	12	0	3/16" x 1"	60
SBU 0260	60L Bull Reel	6" x 1/2" x 11 1/16"	N/A	7	0	3/16" x 1"	42
CARDWELL							
International Petroleum Services							
SCA 0280	MA, MH small drum. QS; QST; Q-100; Q-101 both drums	6" x 5/8" x 9 13/16"	N/A	14	0	1/4" x 1"	70
SCA 0375	AH; AL; HL; HS; A-150; A151 MA, MH big drum	7" x 5/8" x 10 1/2"	32"	16	2	5/16" x 1 1/8"	90
SCA 0381	A-100; AB-100; K-100 both drums	7" x 3/4" x 10"	32"	16	2	5/16" x 1 1/8"	90
SCA 0535	KL; KS; L; LA; K; K-200; K-201; K-202; M200; A-150-A; Skyhorse; C-36; L-129	8" x 3/4" x 10 29/32"	36"	16	2	5/16" x 1 1/8"	90
SCA 2261	KB-150	8" x 1" x 10 29/32"	36"	18	0	5/16" x 1 1/4"	100
SCA 0545	L-350; M-250; K-200-A; K-201-A; KB-200-A; KM-200-A; C-Horse	8" x 1" x 10 15/16"	40"	18	2	5/16" x 1 1/4"	100
SCA 0795	RL; S; SS; SU; RS	9" x 3/4" x 10"	N/A	24	0	5/16" x 1 1/8"	120
SCA 0805	D; D-66; DS; DT; J-450; K-210-A; K-210; K-211; KB-210-A; KM-210; K-250; KB-250; O; OA; OC; R; S-350; T; TR; K-250-A; K-210-B; KB-210; KM-250	9" x 1" x 10 1/4"	44"	22	2	5/16" x 1 1/4"	120
SCA 0815	J-700	9" x 1" x 10 3/4"	N/A	24	0	5/16" x 1 1/4"	120
SCA 0990	K-500; K-500SD; KB-500; KB-700; K-600; K-700; KH-500	10" x 1" x 10 3/4"	46"	22	2	5/16" x 1 1/4"	120
SCA 1000	K-200-B&C; KB-200-B+C; KM-200-B	10" x 1" x 10 15/16"	40"	18	2	5/16" x 1 1/4"	100
SCA 0375	Sand Reels for AH; AL; HL; KL; RL; A-150; A151	7" x 5/8" x 10 1/2"	32"	16	2	5/16" x 1 1/8"	90
SCA 0385	Sand reels for DS; DT; K-200; K-201; K-210; K-211; KB-210; M-200A; KM-210; LA; L-350; M-200; MA; MH; O; OA; OC	7" x 3/4" x 10 29/32"	N/A	18	0	5/16" x 1 1/8"	90
SCA 0395	Sand reels for J-450; J-700; K-200-A; K-200-B; K-201-A; KB-200-B; KM-200-B; K-210; K-210-A; K-250; KB-250; KM-210; KM-250; M-250; S-350	7" x 1" x 10 15/16"	40"	18	2	5/16" x 1 1/4"	100
SCA 0535	Sand reels for C-horse; Skyhorse; A-150-A	8" x 3/4" x 10 29/32"	36"	16	2	5/16" x 1 1/8"	90
SCA 0805	Sand reels for TR; K-700; K-600; K-250-A; K-210-B; KB-1000	9" x 1" x 10 1/4"	44"	22	2	5/16" x 1 1/4"	120
SCA 1010	Sand reels for K-500; KB-500	10" x 1" x 10 1/4"	N/A	24	0	5/16" x 1 1/4"	120
SCA 1000	Sand reels for K-200-C	10" x 1" x 10 15/16"	40"	18	2	5/16" x 1 1/4"	100
SCA 2463	K-1000; KB-1000; KH-1000	12" x 1 1/8" x 12"	46"	22	2	3/8" x 1 1/2"	144

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfrs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼ New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
	CHALLENGER RIG & MFG. CO.						
SCH 0252	*280	6" x 3/4" x 12"	24"	14	0	3/8" x 1 1/4"	56
SCH 0528	**320; 320H; 360	8" x 1" x 12"	32"	14	2	3/8" x 1 1/4"	96
	CONTINENTAL- EMSCO						
SCE 0285	GA-250-T; G-36; G-300; GA-350; GB-350; GC-350	6 1/2" x 1" x 13"	N/A	16	0	3/8" x 1 1/4"	64
SCE 0405	GA-160-T	7 1/2" x 1" x 12"	N/A	14	0	3/8" x 1 1/4"	56
SCE 0405	GB-160-T; GB-160-TS	7 1/2" x 1" x 12"	N/A	16	0	3/8" x 1 1/4"	64
SCE 0405	GC-350-T; GB-250-T; T-103-250; GB-350-T	7 1/2" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72
SCE 0405	G-42; G-450; G-500; GA-500; GB-500	7 1/2" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
SCE 0555	GC-500; A-550; WSI; D-1; D-2; D-2E; D-2M	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
SCE 0825	GB-800; A-800; A-800-E	9" x 1 1/8" x 13"	N/A	20	0	3/8" x 1 1/2"	120
SCE 0840(6)	J-750; J-1000 & CB-54; H-54; H-54-A; UB-54; UH-54-A; UBLS-54; EC-54; ECA-54; FRC-54; ED & DEL; 54 Series;					D-3 requires only 3/8" x 1 1/2"	116
SCE 0835(4)	D-3; Type A, C, CA, CB & CC-54" brakes	9" x 1 1/4" x 12"	46"	20	0	3/8" x 1 1/2"	108
SCE 0840	J-1100; ED-60; EDA	9" x 1 1/4" x 12"	50"	22	0	3/8" x 1 1/2"	120
SCE 0840	J-1400; J-1600; ECC; J-1250	9" x 1 1/4" x 12"	54"	24	0	3/8" x 1 1/2"	12
SCE 0840	J-2000; EDA-60-L	9" x 1 1/4" x 12"	60"	26	0	3/8" x 1 1/2"	132
SCE 1020	EDE; EDES	10" x 1 1/4" x 12"	50"	20	2	3/8" x 2"	12
SCE 1020	A-1100; Electrohoist II # 1 through 15	10" x 1 1/4" x 12"	54"	22	2	3/8" x 1 1/2"	140
SCE 1020	A-1500; A-1500-E	10" x 1 1/4" x 12"	60"	26	2	3/8" x 2"	4
SCE 1105	▼C-1	10" x 1 1/4" x 12"	50"	20	2	3/8" x 1 1/2"	164
SCE 1105	▼C-2; Electrohoist II # 16 and up	10" X 1 1/4" X 12"	54"	22	2	3/8" x 2"	6
SCE 1105	▼C-3	10" x 1 1/4" x 12"	62"	26	2	3/8" x 1 1/2"	140
SCE 1155	Electrohoist III; CE-3000; B-3661	12" x 1 1/4" x 12"	62"	30	0	3/8" x 2"	164
SCE 0285	Sand Reels for GA-250-T; G-36; G-300; GA-350; GB-350; G-42; G-450; G-500; GB-500; GB-800	6 1/2" x 1" x 13"	N/A	14	0	3/8" x 1 1/2"	6
SCE 0360	Sand Reels for CE-3000 to serial No. 117	7" x 1" x 11 7/8"	36"	16	0	3/8" x 1 1/4"	80
SCE 0405	Sand Reels para GB-160-T; GB-160-TS; GB-250-T; T-103-250	7 1/2" x 1" x 12"	N/A	14	0	5/16" x 1 1/4"	56
SCE 0405	Sand Reels for GC-350-T; GA-500; GC-500; A-550; A-800; J-1100; J-1250; J-1400; J-1600; WSI; T-103; D-2; D-3	7 1/2" x 1" x 12"	N/A	16	0	3/8" x 1 1/4"	64
SCE 0405	Sand Reels for A-1100; A-1500; CE-3000 - S/N 117 and over, ECR; ECR-25; C-1; C-2; C-3	7 1/2" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼ New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
	COOPER MFG. CO.						
SCO 0255	A-26; A-26-26; TR-26; TR-26-26	6" x 3/4" x 12"	26"	12	0	3/8" x 1 1/4"	48
SCO 0255	P-32; P-132	6" x 3/4" x 12"	32"	14	0	3/8" x 1 1/4"	56
SCO 0295(4) SCO 0290(6)	TR-36; TRP-136; P-136	6" x 1" x 12"	N/A	16	0	3/8" x 1 1/4"	64 96
SCO 0525(4) SCO 0528(6)	A-32; A-32-32; TR-32; TR-32-32; LTO-32-32	8" x 1" x 12"	32"	16	0	3/8" x 1 1/4"	64 96
SCO 0525(4) SCO 0528(6)	A-38; TR-38; LTO-38-38	8" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72 108
SCO 0525(4) SCO 0528(6)	A-42; A-142	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80 120
SCO 1030	LTO-38-38; LTO-150; LTO-250	10" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	108
SCO 1025(4) SCO 1030(6)	A-4210; TR-4210; LTO-4210; LTO-350 Sand Reel for 42-42	10" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80 120
SCO 1025(4) SCO 1030(6)	D-5000; 520	10" x 1" x 12"	N/A	24	0	3/8" x 1 1/4"	96 144
SCO 1162	▼ Olier-4212-42; LTO-4212; LTO-750, 550 & 650	12" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	120
SCO 0295(4) SCO 0290(6)	Sand Reel for TR-42-36; TR 38-36	6" x 1" x 12"	N/A	16	0	3/8" x 1 1/4"	64 96
SCO 0525(4) SCO 0528(6)	Sand Reel for 38-38; 4210-38; 4212-38	8" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72 108
SCO 0528	Sand Reel for LTO-4210; LTO-4212	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	120
	CRANE CARRIER CORP.						
SCR 0875	▼ 42 x 10; 400	10" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	120
SCR 0525	*42 x 8	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
SCR 1162	▼ 42 x 12 Model 500	12" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	120
SCR 0525	*Sand Reels for 42 x 10; 42 x 8	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
	CROWN-ENERGY						
SCW 0525	*100043393	8" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72
SCW 0525	*100043153	8" x 1" x 12"	42"	18	2	3/8" x 1 1/2"	80
SCW 1025	*100043389	10" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72
SCW 1025	*100035049	10" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
SCW 1162	*100035670	12" x 1" x 12"	42"	18	2	3/8" x 1 1/2"	80
SCW 1115	▼ 100034472	11" x 1 1/8" x 12"	44"	18	2	3/8" x 1 1/2"	120
SCW 1162	▼ 100030616	12" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	120
	CYCLE MACHINE						
SCY 0900	Cycle	9 3/4" x 1 1/4" x 12"	N/A	20	0	3/8" x 1 1/2" 3/8" x 2"	100 20
	DUGGAN						
SDU 0520	S-5	8" x 3/4" x 12"	38"	16	2	3/8" x 1 1/4"	72
	FRANKS-CABOT						
SFR 0305	Super Senior (old style)	6" x 3/8" x 7 1/2"	N/A	26	0	1/4" x 3/4" 1/4" x 1"	88 16
SFR 0425	No. 33 (old 3000) main drums and / or Sand Reel	7" x 1/2" x 7 1/2"	N/A	24	0	1/4" x 1" 1/4" x 3/4"	12 84

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfrs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼ New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
	FRANKS-CABOT						
SFR 0425	East Texas	7" x 1/2" x 7 1/2"	N/A	30	0	1/4" x 3/4" 1/4" x 1"	104 16
SFR 0438	3000A; 4000; 4000A and oversize for East Texas	7" x 1" x 12"	N/A	18	0	5/16" x 1 1/8" 5/16" x 1 1/4"	112 32
SFR 0580	No.44 (old 4000); 844	8" x 1" x 12"	32"	14	2	5/16" x 1 1/8" 5/16" x 1 1/4"	96 32
SFR 0580	5000; SA 4500 and oversize for Super East Texas	8" x 1" x 12"	34"	16	2	5/16" x 1 1/8" 5/16" x 1 1/4"	112 32
SFR 0580	No. 65 (old 5000); 865;	8" x 1" x 12"	38"	16	2	5/16" x 1 1/8"	120
SFR 0590	65-8; 120	8" x 1" x 6"	38"	2	2	5/16" x 1 1/4"	32
SFR 1040	3810; 1058; 65-10	10" x 1" x 12"	38"	16	2	5/16" x 1 1/8"	120
SFR 1050		10" x 1" x 6"	38"	2	2	5/16" x 1 1/4"	32
SFR 1040	658 & 87 (old 7000)	10" x 1" x 12"	42"	18	2	5/16" x 1 1/8"	136
SFR 1050	Air Cooled	10" x 1" x 6"	42"	2	2	5/16" x 1 1/4"	32
SFR 1040	SA 5000, SA 6000 and SG	10" x 1" x 12"	46"	20	2	5/16" x 1 1/8"	152
SFR 1050	101 Water Cooled	10" x 1" x 6"	46"	2	2	5/16" x 1 1/4"	32
SFR 1040	M 5000 LT and 137	10" x 1" x 12"	46"	20	2	5/16" x 1 1/8"	148
SFR 1060	Water Cooled	10" x 1" x 6"	46"	2	2	5/16" x 1 1/4"	32
SFR 1165	4212; 1287;	12" x 1 1/8" x 12"	42"	18	2	5/16" x 1 1/4"	136
SFR 1175	1287TD; 2042; 750; 700E	12" x 1 1/8" x 6"	42"	2	2	5/16" x 1 1/2"	32
SFR 1165	2346; 900; 1000	12" x 1 1/8" x 12"	46"	20	2	5/16" x 1 1/4"	168
SFR 1175		12" x 1 1/8" x 6"	46"	2	2	5/16" x 1 1/2"	16
SFR 1165	2550	12" x 1 1/8" x 12"	50"	22	2	5/16" x 1 1/4"	180
SFR 1175		12" x 1 1/8" x 6"	50"	2	2	5/16" x 1 1/2"	20
Undrilled Lining	†Sand Reel for 3000	5" x 5/16" x 97"	N/A	2	0	3/16" x 3/4" 3/16" x 1"	84 12
SFR 0580	Sand Reel for 80; 3208; 844	8" x 1" x 12"	32"	14	2	5/16" x 1 1/8" 5/16" x 1 1/4"	96 32
SFR 0580	Sand Reel for 120; 1058	8" x 1" x 12"	38"	16	2	5/16" x 1 1/8"	120
SFR 0590		8" x 1" x 6"	38"	2	2	5/16" x 1 1/4"	32
SFR 0580	Sand Reel for 160;	8" x 1" x 12"	42"	18	2	5/16" x 1 1/8"	136
SFR 0590	main drum for 87-8; 8160	8" x 1" x 6"	42"	2	2	5/16" x 1 1/4"	32
	GARDNER-DENVER						
SGA 0520	*2500 Mayhew	8" x 3/4" x 12"	N/A	14	0	3/8" x 1 1/4"	56
SGA 0520	*3000 Mayhew	8" x 3/4" x 12"	38"	16	2	3/8" x 1 1/4"	72
SGA 0525	*5000 Mayhew	8" x 1" x 12"	N/A	22	0	3/8" x 1 1/4"	88
SGA 0525	*500; 1500S; 500E; 500S	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
SGA 0855	▼ 700; 700E; 800; 800E; 1000S	9" x 1" x 12"	46"	18	2	3/8" x 1 1/4"	120
SGA 1070	▼ 1100; 1100E	10" x 1 1/8" x 12"	50"	20	2	3/8" x 1 1/2"	132
SGA 1110	1500; 1500RE	11" x 1 1/4" x 12"	54"	22	2	3/8" x 1 1/2"	144
SGA 1185	2100; 2100E; 3000E	12" x 1 1/4" x 12"	60"	24	2	3/8" x 1 1/2"	156
SGA 0258	S. R. for 500; 700; 800; 1100; 1500; 1500RE; 2100; 3	6" x 3/4" x 12"	N/A	14	0	3/8" x 1 1/4"	84
	GEO. E. FAILING CO./ GEFCO						
SFA 0415	2500; 2500-SE	7" x 3/4" x 8 3/4"	N/A	16	0	3/8" x 1 1/4"	64
Undrilled Lining	1500; 1500-S; 1500-SS	4 1/2" x 3/8" x 50"	N/A	1		3/8" x 1 1/4"	64
SFA 0412	2000-2 drums; 4 bands 8 Blocks per band	5" x 3/4" x 7"	N/A	16	0	3/8" x 1 1/2"	64
SFA 0575	66	8" x 5/8" x 9 1/2"	N/A	18	0	3/16" x 3/4"	144
SFA 0845	90; 95; 3500	9" x 1" x 12"	32"	14	0	3/8" x 1 1/4"	84

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfrs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼ New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
HOPPER HOIST							
SHO 0520	*IG Main drum or Sand Reel thru S/N - 123	8" x 3/4" x 12"	32"	16	0	3/8" x 1 1/4"	64
SHO 0520	*IG Main drum or Sand Reel after S/N - 123	8" x 3/4" x 12"	38"	18	0	3/8" x 1 1/4"	72
SHO 0865	*IGX	9" x 3/4" x 12"	35"	16	2	3/8" x 1 1/4"	72
SHO 0785	*G thru S/N 127	9" x 1" x 12"	40"	14	2	3/8" x 1 1/4"	64
SHO 0785	*G after S/N 127	9" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
SHO 1075	†GXXTA (New Style)	10" x 1" x 12"	42"	14	2	3/8" x 1 1/4"	100
SHO 1080	†GXXTA (New Style)	10" x 1" x 5 3/4"	42"	4	6	3/8" x 1 1/4"	100
SHO 1075	†GXXTA (Old Style)	10" x 1" x 12"	42"	16	2	3/8" x 1 1/4"	90
SHO 1075	†GX main drum or Sand Reel	10" x 1" x 12"	42"	16	2	3/8" x 1 1/4"	94
SHO 1080	thru S/N - 152	10" x 1" x 6"	42"	2	2	3/8" x 1 1/4"	94
SHO 1075	†GX main drum or Sand Reel	10" x 1" x 12"	42"	16	2	3/8" x 1 1/4"	104
SHO 1080	after S/N - 152	10" x 1" x 6"	42"	2	2	3/8" x 1 1/4"	104
SHO 0985	†M thru S/N - 107	10" x 1 1/4" x 12"	N/A	18	0	3/8" x 1 1/2"	90
SHO 0985	†M after S/N - 107	10" x 1 1/4" x 12"	42"	20	0	3/8" x 1 1/2"	100
SHO 1167	GX Special (Narrow)	12" x 1 1/8" x 12"	42"	6	8	3/8" x 1 1/2"	176
SHO 1177		6" x 1 1/8" x 12"		20			
SHO 1177		6" x 1 1/8" x 12"		4			
SHO 1179		6" x 1 1/8" x 6"		4			
SHO 1167	GXHTA	12" x 1 1/8" x 12"	42"	14	2	3/8" x 1 1/2"	168
SHO 1180		12" x 1 1/8" x 6"		4			
SHO 0520	*Sand Reels for G thru S/N - 145; M thru S/N - 107	8" x 3/4" x 12"	32"	16	0	3/8" x 1 1/4"	64
SHO 0520	*Sand Reels for G after S/N - 145; M thru S/N - 107	8" x 3/4" x 12"	42"	20	0	3/8" X 1 1/4"	80
HSMC							
SHS 0910	HD 1500E	9 3/4" x 1 1/4" x 12"	46"	16	2	3/8" x 1 1/2"	180
HYCALOG							
SHI 2211	HH6000	8" x 1" x 12"	42"	18	2	3/8" x 1 1/2"	80
IDECO							
SID 0387	Main drum for H-20; M-20	7" x 3/4" x 12"	34"	14	2	3/8" x 1 1/4"	64
SID 0520	*Main drum for 4050; and 5060 Ser.Winch; S.W. 7000 & 7000-A; Ser.Winch; SU 7000 Swabbing Unit	8" x 3/4" x 12"	32"	14	2	3/8" x 1 1/4"	64
SID 0520	*Main drum for S.W. 10000 & 10000-A Ser. Winch; SU 10000 Swab Unit ; M-25 PR-150-B; PR 600; TC-600; H-25; H-30	8" x 3/4" x 12"	38"	16	2	3/8" x 1 1/4"	72
SID 0520	*Main drum for 6070, 7080, S.W. 15000 and 15000-A Ser. Winch; SU 15000 Swab Unit; PR-150-A; HR-35; M-35	8" x 3/4" x 12"	42"	18	2	3/8" x 1 1/4"	80
SID 0525	*Main drum for H-25-C; M-25 Ser 516 and 524 up; H-30-C Ser. 80 and 82 up	8" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72
SID 0525	*Main drum for H-35-C Ser. 192 up; H-40; H-525; H-725; H; M; Super 750	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
	IDECO						
SID 0610	▼Main drum Lucky 7-11; 900	8" x 1 1/4" x 12"	46"	20	2	3/8" x 1 1/2"	132
SID 1090	*H-35-C; H-35-K; H-37-E; H-37-ED; H-37-KD; BIR	10" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
SID 1100	*PR- 800 y M-10000; Little Giant; H-700; H-711	10" x 1 1/4" x 12"	44"	16	2	3/8" x 1 1/2"	72
SID 1100	*PR-1050; Jr. Giant; 10263 Super Duty; Jr. Super 7-11; 1200; Super 7-11 to S/N; 178	10" x 1 1/4" x 12"	46"	18	2	3/8" x 1 1/2"	80
SID 1100	*H-1000; PR-1350; 1350-S; 1350-ST; Big Giant	10" x 1 1/4" x 12"	52"	20	2	3/8" x 1 1/2"	88
SID 1100	*2500-H; M, E; S/N 153, 154, 155, 161, 162, 163	10" x 1 1/4" x 12"	52"	20	2	3/8" x 1 1/2"	88
SID 1100	*PR-1000	10" x 1 1/4" x 12"	54"	22	2	3/8" x 1 1/2"	96
SID 1105	▼Super 7-11 S/N 179 up; HE 1700	10" x 1 1/4" x 12"	54"	22	2	3/8" x 1 1/2"	144
SID 1105	▼H, M, E, 2100; 2500, H, M, E S/N 151, 152, 156, 160, 164 and up	10" x 1 1/4" x 12"	60"	24	2	3/8" x 1 1/2"	156
SID 1115	▼H-44-C	11" x 1 1/8" x 12"	44"	18	2	3/8" x 1 1/2"	120
SID 1190	▼E3000	12" x 1 1/4" x 12"	64"	28	2	3/8" x 1 1/2"	180
SID 0235	*Sand Line for H-20 (Optional)	5" x 3/4" x 12"	34"	16	0	3/8" x 1 1/4"	64
SID 0387	Sand Line for H-20-C; H-20 and M-20; H-25-C, D & F; H-25-F; H-30-C, D & F; H-35-F; Lucky 7-11; Jr. Super 7-11; 900;1200;	7" x 3/4" x 12"	34"	14	2	3/8" x 1 1/4"	64
SID 0520	Sand Line for H-25-A; M-25; H-25; H-25-C 38" brakes; H-30-A; H-30-C 38" brakes; H-35; M-35; H-35-K; H-37-E; H-40; H-40-C; H-44-C; H-525 H; M; Super 750; H-700; H-711; Super 7-11; HE-1700	8" x 3/4" x 12"	38"	16	2	3/8" x 1 1/4"	72
SID 0520	*Sand Line for H-35-DD; H, M, E 2100; 2500-H, M, E	8" x 3/4" x 12"	42"	18	2	3/8" x 1 1/4"	80
SID 0525	*Sand Line for E3000	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
	KIN RIG						
SKI 2194	26X8	8" x 3/4" x 12"	26"	14	2	3/8" x 1 1/4"	96
SKI 0585	32X8	8" x 1" x 12"	32"	14	2	3/8" x 1 1/4"	96
SKI 0875	38X10	10" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	108
	KREMCO Knoll Rig & Equipment Co. Ltd.						
SKN 0430	K200 Main drum & Sand Reel	7" x 3/4" x 10 3/4"	32"	14	2	3/8" x 1 1/4"	64
SKN 0387	300 Main drum and Sand Reel for 300; 400	7" x 3/4" x 12"	34"	14	1	3/8" x 1 1/4"	64
SKN 0520	*400 Main drum and Sand Reel for 600	8" x 3/4" x 12"	38"	16	2	3/8" x 1 1/4"	72
SKN 1025	*600; 600D	10" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
SKN 1115	▼750;	11" x 1 1/8" x 12"	44"	18	2	3/8" x 1 1/2"	120
SKN 1115	▼K1000	11" x 1 1/8" x 12"	42"	16	2	3/8" x 1 1/2"	180
SKN 0520	*Sand Reel for 750	8" x 3/4" x 12"	42"	18	2	3/8" x 1 1/4"	80
	LEE ENGINEERING						
SLE 0525	*38 x 8	8" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72
SLE 0525	*42 x 8	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
SLE 0875	▼42 x 10	10" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	120
	MAC						
SMC 0430	300; 400	7" x 3/4" x 10 3/4"	38"	20	0	3/8" x 1 1/4"	80

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
MAINLAND							
SML 0375	M-320	7" x 3/4" x 10 1/2"	32"	16	2	5/16" x 1 1/4"	90
SML 2261	M-360	8" x 1" x 10 29/32"	N/A	18	0	5/16" x 1 1/4"	90
SML 1000	M-400	10" x 1" x 10 15/16"	40"	18	2	5/16" x 1 1/4"	100
MESA MFG. CO.							
SME 1040 SME 1060	350;	10" x 1" x 12" 10" x 1" x 3"	42"	18	2 2	5/16" x 1 1/4"	164
SME 0580 SME 0581	Swab Unit	8" x 1" x 12" 8" x 1" x 3"	42"	18	2 2	5/16" x 1 1/4"	164
SME 0920	1500;	9 3/4" x 1 1/4" x 12"	50"	18	2	3/8" x 1 1/2"	120
SME 0580 SME 0581	Sand Reel for 350	8" x 1" x 12" 8" x 1" x 3"	42"	18	2 2	5/16" x 1 1/4"	164
SME 1040 SME 1060	Sand reels with one band	10" x 1" x 12" 10" x 1" x 3"	N/A	9	1 1	5/16" x 1 1/4"	82
MID-CONTINENT							
SMI 0430	U-34; U-34-D; U-34-E; and Sand Reels for U-34	7" x 3/4" x 10 3/4"	38"	18	2	3/8" x 1 1/4"	80
SMI 0885	U-10 Regular to # 79	10" x 3/4" x 9 3/4"	N/A	22	0	3/8" x 1 1/4"	88
SMI 0890	*U-40	10" x 1 1/8" x 12"	40"	16	2	3/8" x 1 1/2"	72
SMI 1107	U-712-A; U-712-EA	10" x 1 1/4" x 11"	48"	20	2	3/8" x 1 1/2"	132
SMI 0890(4) SMI 1072(6)	U-15; U-35; U-36; U-22; U-10 (80 up); U-36-A; U-36-EA	10" x 1 1/8" x 12"	44"	18	2	3/8" x 1 1/2"	120
SMI 0895(4) SMI 0896(6)	U-20	10" x 1 1/4" x 12"	48"	20	0	3/8" x 1 1/2"	120
SMI 0895(4) SMI 0896(6)	U-914-A; U-914-B; U-914-C; U-914-EC	10" x 1 1/4" x 12"	52"	20	2	3/8" x 1 1/2"	132
SMI 1100(4) SMI 1106(6)	U-30; U-1220-A; U-1220-B; U-1220-EB	10" x 1 1/4" x 12"	60"	26	2	3/8" x 1 1/2"	168
SMI 0430	*Sand Reels for U-15; U-36; U-40	7" x 3/4" x 10 3/4"	N/A	10	0	3/8" x 1 1/4"	40
SMI 0890	Sand Reels for U-20; U-35	10" x 1 1/8" x 12"	N/A	10	0	3/8" x 1 1/2"	40
SMI 0430	Sand Reels for U-712-A; U-914-A	7" x 3/4" x 10 3/4"	N/A	18	0	3/8" x 1 1/4"	72
SMI 0890	Sand Reels for U-1220-A	10" x 1 1/8" x 12"	40"	16	2	3/8" x 1 1/2"	72
MIDWAY MFG. AND SUPPLY							
SMM 0249	2250; 2500 Main and Kelly drum	6" x 1/2" x 9 1/2"	N/A	12	0	3/16" x 3/4"	72
SMM 0249	Bailing drum	6" x 1/2" x 9 1/2"	N/A	6	0	3/16" x 3/4"	36
SMM 1070	▼ M-210-D; M-280-D, 42 x 10	10" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	120
SMM 1162	▼ 46 x 12	12" x 1 1/8" x 12"	46"	20	2	3/8" x 1 1/2"	132
SMM 2247	▼ 42 x 8	8" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	120
MOLLER MFG. CO.							
SMO 1070	▼ D-401; D-402; S-400	10" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	120
SMO 0585	▼ D-322;	8" x 1" x 12"	32"	14	2	3/8" x 1 1/4"	96
MOUNTAIN RIG							
SMR 0520	*150;	8" x 3/4" x 12"	32"	14	2	3/8" x 1 1/4"	64
SMR 1025	*250;	10" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72
SMR 1025	*350;	10" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
SMR 1162	▼ 550; 750	12" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	120
SMR 0525	Sand Reel for *250; 350	8" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72
SMR 0525	Sand Reel for *550; 750	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼ New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
	NATIONAL						
SNA 0320	T-8; T-8S; M D & S R, T-12; S R for T-12-S; 200	6 1/2" x 3/4" x 11 1/2"	32"	14	0	3/8" x 1 1/4"	56
SNA 0440	T-12; T-16; T-20; T-20-S & Sand Reel for T-20-S	7 1/2" x 3/4" x 11"	N/A	16	0	3/8" x 1 1/4"	64
SNA 0440	T-12 serial # 1513 and up; T-12-S; 200 and Sand Reel for T-45	7 1/2" x 3/4" x 11"	38"	16	2	3/8" x 1 1/4"	72
SNA 0450	300 and Sand Reel for 300	7 1/2" x 1" x 11 1/4"	N/A	20	0	3/8" x 1 1/4"	80
SNA 0615	Type 30 and 40 and Sand Reels for 125 and 130; 1320-DE; 1625-M & DE	8" x 3/4" x 11 1/2"	N/A	18	0	3/8" x 1 1/4"	72
SNA 0635(6) SNA 0625(4)	T-25; T-32; 50; 50-A & 55; 55-P; T-45; H-4-10; 610; 370; K-42 Brakes	8" x 1 1/8" x 11 1/2"	42"	16	2	3/8" x 1 1/2"	108 72
SNA 0900(4) SNA 0910(6)	75; 75-CA; 75-CB; 80; 80-B; 80-E; K-46 Brakes	9 3/4" x 1 1/4" x 12"	46"	16	2	3/8" x 1 1/2"	72 108
SNA 0920	110; 110-UE; K-50 Brakes	9 3/4" x 1 1/4" x 12"	50"	18	2	3/8" x 1 1/2"	120
SNA 0930(4) SNA 0940(6) SNA 0965	100; 125; 130; 1320-DE; 1320-M; 1320-UE; 34-10-FE; K-54 Brakes	9 3/4" x 1 1/4" x 13" 9 3/4" x 1 1/4" x 2 1/2"	54"	18 2	2	3/8" x 1 1/2"	84 124
SNA 0940	160; 1625; 1625 -M; 1625 DE; 33-62-FE; 34-62-FE; K-62 Brakes	9 3/4" x 1 1/4" x 13"	62"	22	2	3/8" x 1 1/2"	144
SNA 0441	Sand Reels for T-16; T-20; T-25; T-32	7 1/2" x 3/4" x 11 1/4"	32"	14	0	3/8" x 1 1/4"	64
SNA 0455	Sand Reels for Type 40 and 50	7 1/2" x 3/4" x 11 1/2"	N/A	14	0	3/8" x 1 1/4"	56
SNA 0465	Sand Reels for 50-A; 55; C-75; 75-CA; 75-CB; 80; 80-B; 100; 110; 110-UE; 610; 370	7 1/2" x 3/4" x 12"	N/A	16	0	3/8" x 1 1/4"	64
	OIL						
SOL 0890	* 1200	10" x 1 1/8" x 12"	N/A	22	0	3/8" x 1 1/2"	110
	OILWELL						
SOI 0475	64-A	7" x 1" x 8"	N/A	26	0	3/8" x 1 1/4"	104
SOI 0475	64-B	7" x 1" x 8"	46"	32	2	3/8" x 1 1/4"	136
SOI 0645	52-T	8" x 1" x 12 1/2"	40"	14	2	3/8" x 1 1/4" 3/8" x 2"	56 8
SOI 0525	*500;	8" x 1" x 12"	40"	14	2	3/8" x 1 1/4"	64
SOI 0655	▼660; 700	8" x 1 1/8" x 12"	46"	16	2	3/8" x 1 1/2"	108
SOI 0660	66; 63-T	8" x 1 1/8" x 12 1/2"	46"	18	2	3/8" x 1 1/2" 3/8" x 2"	68 12
SOI 1100	*76; 760; 740-E	10" x 1 1/4" x 12"	46"	18	2	3/8" x 1 1/2"	80
SOI 1105	▼E-2000; M-2000	10" x 1 1/4" x 12"	60"	24	2	3/8" x 1 1/2"	156
SOI 0950	860; 840-E	10" x 1 1/4" x 12"	50"	20	2	3/8" x 1 1/2" 3/8" x 2"	112 20
SOI 1120	†940-E; 96	11" x 1 1/4" x 12"	54"	22	2	3/8" x 1 1/2" 3/8" x 2"	94 26
SOI 1190	▼E-3000; M-3000	12" x 1 1/4" x 12"	66"	26	2	3/8" x 1 1/2"	168
SOI 0480	Sand Reels for 52-T; 63-T; 66; 660; 860; E-2000; ME-2000; 3000; 700; 500	7" x 3/4" x 11 1/2"	N/A	16	0	3/8" x 1 1/4" 3/8" x 1 1/2"	60 4
SOI 0389	*Sand Reels for 76	7" x 3/4" x 12"	N/A	14	0	3/8" x 1 1/4"	56
SOI 0520	*Sand Reels for 96	8" x 3/4" x 12"	N/A	14	0	3/8" x 1 1/4"	56

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼ New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
O.I.M.E.							
Helihoiht/ T.B.A. Series							
SOM 1040	350	10" x 1 1/8" x 12"	42"	18	2	5/16" x 1 1/4"	136
SOM 1050		10" x 1 1/8" x 6"				5/16" x 1 1/2"	32
SOM 0680	*500	8" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	80
SOM 0985	†750	10" x 1 1/4 x 12"	42"	16	0	3/8" x 1 1/2"	80
SOM 1160	†1250; SL-1250; SL-1500; 2000	12" x 1 1/4" x 12"	46"	16	2	3/8" x 1 1/2"	90
SOM 0985	†SL-1000; 950	10" x 1 1/4 x 12"	46"	16	2	3/8" x 1 1/2"	90
SOM 1160	†2500; 3000	12" x 1 1/4" x 12"	58"	20	2	3/8" x 1 1/2"	110
SOM 1190	4000	12" x 1 1/4" x 12"	N/A	32	0	3/8" x 1 1/2"	192
PARKER							
SPA 1155	TBA 2000	12" x 1 1/4" x 12"	N/A	20	0	3/8" x 1 1/2"	120
PEMCO "HOSS"							
SPE 1040	1015	10" x 1" x 12"	42"	18	2	5/16" x 1 1/8"	152
SPE 1050		10" x 1" x 6"				5/16" x 1 1/4"	16
SPE 1165	1220	12" x 1 1/8" x 12"	42"	18	2	5/16" x 1 1/4"	152
SPE 1175		12" x 1 1/8" x 6"				5/16" x 1 1/2"	16
SPE 1165	Sand Reels for 1015; 1220	12" x 1 1/8" x 12"	42"	9	1	5/16" x 1 1/4"	76
SPE 1175	(one band)	12" x 1 1/8" x 6"				5/16" x 1 1/2"	8
POOL							
SPO 0985	†750	10" x 1 1/4 x 12"	N/A	16	0	3/8" x 1 1/2"	80
SPO 1160	†1500	12" x 1 1/4" x 12"	N/A	18	0	3/8" x 1 1/2"	90
SPO 0955	300; 400	10" x 1 1/8" x 12"	42"	20	0	3/8" x 1 1/4" 3/8" x 2"	104 76
SPO 1025	Sand Reels for *750	10" x 1" x 12"	N/A	8	0	3/8" x 1 1/4"	32
SPO 0750	Sand Reels for 300; 400	8" x 1" x 10 1/8"	38"	22	0	3/8" x 1 1/4" 3/8" x 2"	84 48
RIG EQUIPMENT MFG.							
SRI 0970	† RMI 4210	10" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	100
SRI 0970	† RMI 1000; 4610	10" x 1 1/8" x 12"	46"	20	2	3/8" x 1 1/2"	110
SRI 0680	* 38 X 8	8" x 1 1/8" x 12"	38"	16	2	3/8" x 1 1/2"	72
SEA COAST							
SSC 1107	750-2-S; 750-4-S	10" x 1 1/4" x 11 1/2"	42"	16	2	3/8" x 1 1/2"	108
SHAFFER OIL FIELD SERVICE							
SSH 0440	SO-6000	7" x 3/4" x 11"	N/A	16	0	3/8" x 1 1/4"	64
SSH 0970	†SC-8000	10" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	100
SKYTOP (Skytop Brewster)							
SSK 0520	*H-32-38; H-32	8" x 3/4" x 12"	32"	14	2	3/8" x 1 1/4"	64
SSK 0670	H-38; H-38-42 thru S/N H-1135; HI-3208	8" x 1 1/8" x 11 3/4"	38"	14	2	3/8" x 1 1/2"	64
SSK 0670	H-42; H-42-42 thru S/N H-1135; B-38 Swab Unit	8" x 1 1/8" x 11 3/4"	42"	16	2	3/8" x 1 1/2"	72

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼ New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
	SKYTOP (Skytop Brewster)						
SSK 0680	*H-38; after S/N H-1135; HI-3808HS	8" x 1 1/8" x 12"	38"	16	2	3/8" x 1 1/2"	72
SSK 0680	*H-42; after S/N H-1135	8" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	80
SSK 0970	HI-4210; HI-4210A; DH-4210; N-42	10" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	100
SSK 0970	HI-4610; HI-4610A; DHI-4610; DHI-4610A; DH-4610; N-46	10" x 1 1/8" x 12"	46"	20	2	3/8" x 1 1/2"	110
SSK 0670	Sand Reels for H-32-38; HI-3208	8" x 1 1/8" x 11 3/4"	38"	14	2	3/8" x 1 1/2"	48
SSK 0670	Sand Reels for H-38-42; H-42-42 HI-3808-38; HI-4210-38; HI-4210A-38; HI-4610-38; HI-4610A-38; DHI-4610-38; BI-3808; N-42; N-46	8" x 1 1/8" x 11 3/4"	42"	18	2	3/8" x 1 1/2"	72
	SPENCER-HARRIS MACHINE						
SSP 0252	*3500	6" x 3/4" x 12"	N/A	16	0	3/8" x 1 1/4"	64
SSP 0520	*5000; 6000	8" x 3/4" x 12"	38"	16	2	3/8" x 1 1/4"	72
SSP 0520	*7000	8" x 3/4" x 12"	42"	18	2	3/8" x 1 1/4"	80
	SULLIVAN MACHINERY CO.						
SSU 0200	200-A Drill; 200 Drum Clutch	4" x 3/8" x 3 1/8"	N/A	48	0	1/4" x 3/4"	96
SSU 0690	300 Rotary	8" x 5/8" x 11"	N/A	14	0	3/8" x 1 1/4"	56
	SUPERIOR OIL FIELD SERVICE						
SST 0525	*300; 700	8" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72
SST 0910	1000	9 3/4" x 1 1/4" x 12"	46"	16	2	3/8" x 1 1/2"	108
SST 0520	Sand Reels for 300; 700	8" x 3/4" x 12"	38"	16	2	3/8" x 1 1/4"	72
	TAYLOR						
STA 0525	*38 x 8	8" x 1" x 12"	38"	18	2	3/8" x 1 1/4"	72
STA 0875	▼42 x 10 or 38 x 10	10" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	108
STA 1162	▼42 x 12	12" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/2"	120
	TEXAS FLANGE, INC.						
STE 0635	T-500	8" x 1 1/8" x 11 1/2"	42"	16	2	3/8" x 1 1/2"	108
STE 0910	T-1000	9 3/4" x 1 1/4" x 12"	46"	16	2	3/8" x 1 1/2"	108
	TRI SERVICE MACHINE						
STR 0520	TSM 6000	8" x 3/4" x 12"	38"	16	2	3/8" x 1 1/4"	72
	TROY						
STY 0525	400	8" x 1" x 12"	38"	16	2	3/8" x 1 1/4"	72
STY 0525	500; 600	8" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	80
	UNIFLEX						
SUN 32 x 8	32 X 8	8" x 1" x 12"	32"	14	2	3/8" x 1 1/4"	96
	WAGNER - MOREHOUSE						
SWA 0330	L-1; L-2	6" x 1/2" x 9"	N/A	14		3/8" x 1 1/4"	56
SWA 0335	D-1; D-2; T-2-34	6" x 3/4" x 11 1/2"	N/A	14		3/8" x 1 1/4"	56

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼ New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
	WAGNER - MOREHOUSE						
SWA 0340	D-2 (optional)	6" x 1/2" x 11 1/2"	N/A	22	0	3/8" x 1 1/4"	88
SWA 0487	WM-2 Prod. Hoist; B-1; A-2-A	7" x 3/4" x 12"	N/A	14	0	3/8" x 1 1/4"	56
SWA 0695	M-41-B; M-41-A-2 Part No. 1461	8" x 1" x 12"	N/A	16	0	3/8" x 1 1/4"	64
SWA 0700	D-15-40-B	8" x 1" x 11 1/2"	N/A	22	0	3/8" x 1 1/4"	88
SWA 0695	D-15-38-B	8" x 1" x 12"	N/A	18	0	3/8" x 1 1/4"	76
SWA 0705		8" x 1" x 6"	N/A	2	0		
SWA 0700	T-3-44	8" x 1" x 11 1/2"	N/A	18	0	3/8" x 1 1/4"	72
SWA 0487	Sand Reel for WM-2 Prod. Hoist	7" x 3/4" x 12"	N/A	8	0	3/8" x 1 1/4"	32
	WALKER - NEER						
SWN 0205	S-32 Standard; S-32 Bull Reel	4" x 1/2" x 9"	N/A	16	0	3/16" x 3/4" 3/16" x 1 1/4"	92 4
SWN 0215	S-32 Calf Reel	4" x 3/8" x 9"	N/A	14	0	3/16" x 1 1/4"	84
SWN 0215	S-32 Sand Reel	4" x 3/8" x 9"	N/A	12	0	3/16" x 3/4"	72
SWN 0205	S-32 Special; S-32 Bull Reel	4" x 1/2" x 9"	N/A	20	0	3/16" x 3/4" 3/16" x 1 1/4"	116 4
SWN 0215	S-32, Calf Reel & Sand Reel	4" x 3/8" x 9"	N/A	14	0	3/16" x 3/4"	84
SWN 0245	S-33 Standard; C-34; Bull Reel	6" x 5/8" x 9"	N/A	24	0	3/16" x 3/4" 3/16" x 1 1/4"	172 20
SWN 0245	Calf Reel; Sand Reel	6" x 5/8" x 9"	26"	16	0	3/16" x 3/4" 3/16" x 1 1/4"	108 20
SWN 0245	S-33 Super Bull Reel	6" x 5/8" x 9"	34"	30	0	3/16" x 3/4" 3/16" x 1 1/4"	220 20
SWN 0205	S-43; S-43-A-57 Model Bull Reel	4" x 1/2" x 9"	N/A	20	0	3/16" x 3/4" 3/16" x 1 1/4"	116 4
SWN 0205	Calf Reel 57 Model	6" x 3/8" x 9"	N/A	12	0	3/16" x 3/4" 3/16" x 1 1/4"	76 20
SWN 0215	Sand Reel S-43	4" x 3/8" x 9"	N/A	14	0	3/16" x 3/4"	84
SWN 0205	Sand Reel 57 Model	4" x 1/2" x 9"	N/A	16	0	3/16" x 3/4" 3/16" x 1 1/4"	92 4
SWN 0245	S-46-A Bull Reel	6" x 5/8" x 9"	N/A	30	0	3/16" x 3/4" 3/16" x 1 1/4"	220 20
SWN 0245	Calf Reel; Sand Reel	6" x 5/8" x 9"	N/A	18	0	3/16" x 3/4" 3/16" x 1 1/4"	124 20
SWN 0245	S-410; S-410-A Bull Reel	6" x 5/8" x 9"	N/A	30	0	3/16" x 3/4" 3/16" x 1 1/4"	220 20
SWN 0760	Calf Reel	8" x 1/2" x 9"	N/A	18	0	3/16" x 3/4" 3/16" x 1 1/4"	132 30
SWN 0245	Sand Reel	6" x 5/8" x 9"	N/A	18	0	3/16" x 3/4" 3/16" x 1 1/4"	124 20
SWN 0215	C&P-22 Bull Reel	4" x 3/8" x 9"	N/A	14	0	3/16" x 3/4"	84
SWN 0215	Sand Reel	4" x 3/8" x 9"	N/A	14	0	3/16" x 3/4"	84
SWN 0245	C&P-23 Bull Reel	6" x 5/8" x 9"	N/A	16	0	3/16" x 3/4" 3/16" x 1 1/4"	96 30
SWN 0245	Sand Reel	6" x 5/8" x 9"	N/A	16	0	3/16" x 3/4" 3/16" x 1 1/4"	96 30
SWN 0760	C&P-25-A Bull Reel; Sand Reel	8" x 1/2" x 9"	N/A	18	0	3/16" x 3/4" 3/16" x 1 1/4"	132 30
SWN 0245	C&P-28A Bull Reel	6" x 5/8" x 9"	N/A	24	0	3/16" x 3/4"	172
						3/16" x 1 1/4"	20

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼ New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
WALKER - NEER							
SWN 0692	Sand Reel	8" x 3/4" x 9"	N/A	24	0	3/16" x 3/4" 3/16" x 1 1/4"	186 30
SWN 0205	C-31 Bull Reel	4" x 1/2" x 9"	N/A	16	0	3/16" x 3/4" 3/16" x 1 1/4"	80 16
SWN 0215	Calf Reel	4" x 3/8" x 9"	N/A	14	0	3/16" x 3/4"	84
Undrilled Lining	Sand Reel	3" x 1/4" x 51"	N/A	2	0	3/16" x 3/4"	64
SWN 0250	C-32 Bull Reel	6" x 3/8" x 9"	N/A	12	0	3/16" x 3/4" 3/16" x 1 1/4"	76 20
SWN 0215	Sand Reel	4" x 3/8" x 9"	N/A	12	0	3/16" x 3/4"	72
SWN 0245	C-33; C-37 Bull Reel	6" x 5/8" x 9"	34"	18	0	3/16" x 3/4" 3/16" x 1 1/4"	124 20
SWN 0250	Calf Reel	6" x 3/8" x 9"	N/A	12	0	3/16" x 3/4" 3/16" x 1 1/4"	76 20
SWN 0215	Sand Reel	4" x 3/8" x 9"	N/A	14	0	3/16" x 3/4"	84
SWN 0245	C-37-Special Bull Reel	6" x 5/8" x 9"	N/A	30	0	3/16" x 3/4" 3/16" x 1 1/4"	220 30
SWN 0760	Calf Reel	8" x 1/2" x 9"	N/A	18	0	3/16" x 3/4" 3/16" x 1 1/4"	132 30
SWN 0245	2000	6" x 5/8" x 9"	28"	16	0	3/16" x 3/4" 3/16" x 1 1/4"	108 20
SWN 0692	P-5000; R-3-A	8" x 3/4" x 9"	N/A	18	0	3/16" x 1" 3/16" x 1 1/4"	132 30
SWN 0875	250-40; 4210	10" x 1" x 12"	42"	18	2	3/8" x 1 1/4"	120
WEISS CORP.							
SWE 0360	W-45	7" x 1" x 11 7/8"	38"	16	2	5/16" x 1 1/4"	90
WICHTEX							
SWI 0485	Model E-90 Bull Reel	7" x 3/4" x 8 1/4"	N/A	28	0	3/8" x 1 1/4"	112
SWI 0715	Model E-75 Bull Reel	8" x 3/4" x 10"	N/A	20	0	3/8" x 1 1/4"	80
Undrilled Lining	Rod & Tube Reel	8" x 3/8" x 7'1"	N/A	2	0	3/16" x 1 1/4"	100
SWI 0870	E-90 Rod & Tube Machine; Rod & Tube Drum	9" x 3/4" x 10"	N/A	24	0	3/8" x 1 1/4"	96
Undrilled Lining	C-65 Standard & Heavy Duty; Rod & Tube Drum	8" x 3/8" x 7'10"	N/A	2	0	3/16" x 3/4"	100
SWI 0715	E-75 Rod & Tube Drum	8" x 3/4" x 10"	N/A	24	0	3/8" x 1 1/4"	96
SWI 0715	R-3 Rotary	8" x 3/4" x 10"	N/A	16	0	3/8" x 1 1/4"	64
SWI 0715	R-4 Rotary	8" x 3/4" x 10"	N/A	18	0	3/8" x 1 1/4"	72
SWI 0870	R-5 Rotary	9" x 3/4" x 10"	N/A	20	0	3/8" x 1 1/4"	96
SWI 0870	R-6 Rotary	9" x 3/4" x 10"	N/A	24	0	3/8" x 1 1/4"	96
SWI 0345	Sand Reel C-60	6" x 5/8" x 8 1/4"	N/A	20	0	3/8" x 1 1/4"	80
SWI 0730	Sand Reel C-65	8" x 5/8" x 10"	N/A	18	0	3/8" x 1 1/4"	72
SWI 0730	Sand Reel C-75	8" x 5/8" x 10"	N/A	22	0	3/8" x 1 1/4"	80
WILSON							
SWL 0350	Senior BW-30-3	6" x 3/8" x 9 1/2"	N/A	16	0	3/16" x 3/4" 3/16" x 1 1/4"	110 20
SWL 0350	Master BW-30-3	6" x 3/8" x 9 1/2"	N/A	18	0	3/16" x 3/4" 3/16" x 1 1/4"	132 20
SWL 0355	Senior BW-30-5	6" x 5/8" x 9 1/4"	N/A	16	0	3/16" x 3/4" 3/16" x 1 1/4"	110 20
SWL 0355	Master BW-30-5	6" x 5/8" x 9 1/4"	N/A	18	0	3/16" x 3/4" 3/16" x 1 1/4"	132 20

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼ New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

OILFIELD BRAKE BLOCKS FOR DRAWWORKS

INDUTEX PART NUMBER	BRAND AND MODEL	BLOCKS				BFH SCREWS	
		SIZE	Ø TAMBOR	W	M	SIZE	No. PCS.
	WILSON						
SWL 0735	Super BW-32-3	8" x 3/8" x 10 1/8"	32"	18	0	3/16" x 3/4" 3/16" x 1 1/4"	132 20
SWL 0740	Super BW-38-5	8" x 5/8" x 9 5/8"	38"	16	2	3/16" x 3/4" 3/16" x 1 1/4"	124 20
SWL 0740	Mogul Core Reel	8" x 5/8" x 9 5/8"	N/A	11	0	3/16" x 3/4" 3/16" x 1 1/4"	78 10
SWL 0740	Mogul BW-38-5	8" x 5/8" x 9 5/8"	N/A	22	0	3/16" x 3/4" 3/16" x 1 1/4"	156 20
SWL 0750	Mogul BW-38-8; Super 38 (Model 30)	8" x 1" x 10 1/8"	38"	20	2	3/8" x 1 1/4" 3/8" x 2"	84 48
SWL 0750	Super Mogul 42 (Model 75); 75-P; Mogul 42 (Model 65); 65-P	8" x 1" x 10 1/8"	42"	22	2	3/8" x 1 1/4" 3/8" x 2"	100 44
SWL 0955	Giant BW-56; Mogul 42-10	10" x 1 1/8" x 12"	42"	18	2	3/8" x 1 1/4" 3/8" x 2"	104 76
SWL 0955	Atlas; Super Atlas (Model 120) Super Giant 90; BW-56	10" x 1 1/8" x 12"	46"	20	2	3/8" x 1 1/4" 3/8" x 2"	122 76
SWL 0955	Titan BW-56 (Model 150); Super Titan BW-56 (Model 150A); TorcAir; RoadAir	10" x 1 1/8" x 12"	66"	26	0	3/8" x 1 1/4" 3/8" x 2"	158 76
SWL 0960	Super Titan 66 (Model 250)	10" x 1 1/4" x 12"	N/A	30	0	3/8" x 1 1/2" 3/8" x 2"	194 76
SWL 0750	Sand Reels for Super Titan 66; Super Titan 56; Titan; Super Atlas; Super Giant 90; 120; 150; 150-A 250	8" x 1" x 10 1/8"	42"	22	2	3/8" x 1 1/4" 3/8" x 2"	100 44
SWL 0750	Sand Reels for Super Mogul 42; Mogul 42; 65; 65-P; 75; 75-P; 190-38-9	8" x 1" x 10 1/8"	38"	20	2	3/8" x 1 1/4" 3/8" x 2"	84 48

*4-hole A.P.I. Drilled blocks

**4-hole A.P.I. With 2 extra holes

Where no symbol shown, blocks drilled to fit mfgs. Specifications only

†4-hole A.P.I. With 1 extra hole

▼New 6-hole A.P.I.

Oversize blocks in 1/8" increments available for most drawworks

NOTE: The information in this catalog was compiled from reliable sources and is correct to the best of our knowledge.
INDUTEX Is not responsible for any error of information contained in this catalog and reserves the right to modify it.